

Incremental Semantic Role Labeling with Tree Adjoining Grammar

Ioannis Konstas^{*}, Frank Keller^{*}, Vera Demberg[†] and Mirella Lapata^{*}

^{*}: Institute for Language, Cognition and Computation
University of Edinburgh

[†]: Cluster of Excellence Multimodal Computing and Interaction,
Saarland University

26 October 2014

Human Language Processing

Human language processing is *incremental*: we update our parse of the input for each new word that comes in.

Human Language Processing

Human language processing is *incremental*: we update our parse of the input for each new word that comes in.

Incrementality leads to local ambiguity, which we can observe in *garden path sentences*:

- (1) a. The old man the boat.
- b. I convinced her children are noisy.

Human Language Processing

Many garden paths are not due to syntactic ambiguity alone, they also involve *semantic role ambiguity*.

Human Language Processing

Many garden paths are not due to syntactic ambiguity alone, they also involve *semantic role ambiguity*.

- (2) The athlete realised her goals ...
- a. ... at the competition.
 - b. ... were out of reach.

This indicates that humans *incrementally* assign semantic roles.

Human Language Processing


Many garden paths are not due to syntactic ambiguity alone, they also involve *semantic role ambiguity*.

- (2) The athlete realised her goals ...
- a. ... at the competition.
 - b. ... were out of reach.

This indicates that humans *incrementally* assign semantic roles.

Let's look at this example in more detail.


Human Language Processing - Example



Semantic Triples: $\langle [\text{role labels}], \text{arg}, \text{pred} \rangle$

$\langle \text{A0}, \text{athlete}, \text{realised} \rangle$

Human Language Processing - Example




Semantic Triples: $\langle [\text{role labels}], \text{arg}, \text{pred} \rangle$

$\langle A0, \text{athlete}, \text{realised} \rangle$

$\langle [A1, A2], \text{nil}, \text{realised} \rangle$

Human Language Processing - Example




Semantic Triples: \langle [role labels], arg, pred \rangle

\langle A0,athlete,realised \rangle

\langle A1,goals,realised \rangle

Human Language Processing - Example



Semantic Triples: $\langle [\text{role labels}], \text{arg}, \text{pred} \rangle$

$\langle \text{A0}, \text{athlete}, \text{realised} \rangle$

$\langle \text{A1}, \text{were}, \text{realised} \rangle$

$\langle \text{A0}, \text{goals}, \text{were} \rangle$

Incremental Semantic Role Labeling

- Determine Semantic Role Labels as the input unfolds

Incremental Semantic Role Labeling

- Determine Semantic Role Labels as the input unfolds
- Given a sentence prefix and its partial syntactic structure:

Incremental Semantic Role Labeling

- Determine Semantic Role Labels as the input unfolds
- Given a sentence prefix and its partial syntactic structure:
 - 1 Identify Arguments and Predicates

Incremental Semantic Role Labeling

- Determine Semantic Role Labels as the input unfolds
- Given a sentence prefix and its partial syntactic structure:
 - 1 Identify Arguments and Predicates
 - 2 Assign correct role labels

Incremental Semantic Role Labeling

- Determine Semantic Role Labels as the input unfolds
- Given a sentence prefix and its partial syntactic structure:
 - 1 Identify Arguments and Predicates
 - 2 Assign correct role labels
- Assign incomplete semantic roles

Sentence Auto-completion



the criminal arrested|



the **sims 3** criminal arrested

the **doctor with** arrested criminal **girl**

Press Enter to search.

Sentence Auto-completion

Google

the criminal arrested|

the **sims 3** criminal arrestedthe **doctor with** arrested criminal **girl**

Press Enter to search.



Sentence Auto-completion



A screenshot of a Google search bar. The search bar contains the text "the police officer arrested". To the right of the search bar is a microphone icon and a search icon. Below the search bar, a dropdown menu displays several suggestions:

- the police officer arrested
- the police officer arrested **two burglars**
- why did** the police officer **arrest** the **turkey**
- what happened to** the police officers **who** arrested **karunanidhi**

On the right side of the dropdown menu, there is a "Remove" button.

Sentence Auto-completion

Google

the police officer arrested|



the police officer arrested


Remove

the police officer arrested **two burglars****why did** the police officer **arrest** the **turkey****what happened to** the police officers **who** arrested**karunanidhi**


Non-incremental SRL

Pipeline approach

- Liu and Sarkar (2007)
- Màrquez et al. (2008)
- Björkelund et al. (2009) (MATE)



Model




Psycholinguistically Motivated TAG (PLTAG)

Psycholinguistically Motivated TAG (PLTAG), is a variant of **tree-adjoining grammar** (Demberg et al., 2014) that supports parsing with **incremental**, fully **connected** structures.


Comparison with TAG

TAG derivations are not always incremental.

Example




Lexicon




Comparison with TAG

TAG derivations are not always incremental.

Example




Lexicon




Comparison with TAG

TAG derivations are not always incremental.

Example



Lexicon



Comparison with TAG




PLTAG derivation are always incremental and fully connected.

Example

NP
|
Banks

Lexicon


NP
|
Banks




Comparison with TAG

PLTAG derivation are always incremental and fully connected.

Example




Lexicon




Comparison with TAG

PLTAG derivation are always incremental and fully connected.

Example




Lexicon




Comparison with TAG

PLTAG derivation are always incremental and fully connected.

Example




Lexicon



Semantic Roles in Lexicon


Used information for verb predicates *only*, derived from PropBank (Palmer, 2005).



Incremental Role Propagation Algorithm




Incremental Role Propagation Algorithm



1. NP → ⟨{A0, A1, A2, A3}, Banks, nil⟩


Incremental Role Propagation Algorithm



1. NP → ⟨{A0,A1,A2,A3},Banks,nil⟩


2. VP → ⟨AM-MOD,will,nil⟩

Incremental Role Propagation Algorithm




1. NP → ⟨{A0,A1,A2,A3},Banks,nil⟩
2. VP → ⟨AM-MOD,will,nil⟩

Incremental Role Propagation Algorithm



3. NP → ⟨{A0, ~~A1~~, A2, A3}, Banks, take⟩
 VP → ⟨AM-MOD, will, take⟩
 NP → → ⟨A1, nil, take⟩


Incremental Role Propagation Algorithm



3. NP → ⟨{A0,A3},Banks,take⟩
 VP → ⟨AM-MOD,will,take⟩
4. NP → ⟨A1,measures,take⟩


Argument Identification - Role Label Disambiguation

Argument Identification




Argument Identification - Role Label Disambiguation

Argument Identification



Role Label Disambiguation



Experiments

- Propositions with verb predicates only
- Gold lexicon entries during parsing - CoNLL-SRL-only task

Experiments

- Propositions with verb predicates only
- Gold lexicon entries during parsing - CoNLL-SRL-only task

Evaluation

- Full sentence Accuracy (F_1)
- Unlabelled Prediction Score (UPS)

Experiments

- Propositions with verb predicates only
- Gold lexicon entries during parsing - CoNLL-SRL-only task


Evaluation

- Full sentence Accuracy (F_1)
- Unlabelled Prediction Score (UPS)


System Comparison

- ι SRL-Oracle : Gold Semantic Role Labels
- ι SRL: All Semantic Role Labels
- Majority-Baseline
- Malt-Baseline

Results - Full sentence



Results - Incremental



Conclusions

- New task of Incremental Semantic Role Labeling
- Our system combines:
 - Psycholinguistically Motivated TAG (PLTAG)
 - Semantic Role Lexicon
 - Incremental Role Propagation Algorithm (IRPA)
 - Argument Identification, Role Disambiguation Classifiers
- Outperforms baselines
- Performs well incrementally: predicts (in)-complete triples early in the sentence
- Download the code from <http://homepages.inf.ed.ac.uk/ikonstas/>

Thank you



Lexicon:

- Standard TAG lexicon
- Predictive lexicon (PLTAG)

Operations:

- Substitution
- Adjunction
- Verification (PLTAG)

Bonus Material - PLTAG

Lexicon:


- Standard TAG lexicon
- Predictive lexicon (PLTAG)

Operations:


- Substitution
- Adjunction
- Verification (PLTAG)

Example

Initial Tree:



Auxiliary Tree:



Bonus Material - PLTAG


Lexicon:

- Standard TAG lexicon
- Predictive lexicon (PLTAG)

Operations:

- **Substitution**
- Adjunction
- Verification (PLTAG)

Example



Bonus Material - PLTAG


Lexicon:

- Standard TAG lexicon
- Predictive lexicon (PLTAG)


Operations:

- Substitution
- **Adjunction**
- Verification (PLTAG)


Example



adjoins to



resulting in



Bonus Material - PLTAG

Lexicon:


- Standard TAG lexicon
- Predictive lexicon (PLTAG)

Operations:

- Substitution
- Adjunction
- Verification (PLTAG)

Example

Prediction Tree:



Index k marks predicted node.

Bonus Material - PLTAG


Lexicon:

- Standard TAG lexicon
- Predictive lexicon (PLTAG)

Operations:

- Substitution
- Adjunction
- **Verification (PLTAG)**

Example



All nodes indexed with k have to be verified.